AD-A039 261

OCEAN AND ATMOSPHERIC SCIENCE INC DOBBS FERRY N Y
TECHNICAL SUPPORT FOR THE TAPE RECORDING/REPRODUCING GROUP. (U)
MAY 77 B HARRIS
N62269-77-M-8337 F/G 14/3

UNCLASSIFIED

0AS-TR-77-342

NADC-76314-20

NL
















END DATE FILMED 5-77



OCEAN & ATMOSPHERIC SCIENCE, INC.

DOBBS FERRY, N.Y. 10522 914-693-9001 212

212-733-1909

TR 77-342

FINAL REPORT


TECHNICAL SUPPORT FOR THE

TAPE RECORDING/REPRODUCING GROUP

by

Dr. Bernard Harris

Submitted under Contract No. N62269-77-M-8337



Prepared for:

Warminster, Pa 18974

May 2, 1977

Approved for public release;
Distribution Unlimited

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)	
(19) REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
NADO 76314-26 6 Princy reptor	phler 76-10 Apr 77
FOR THE TAPE RECORDING/REPRODUC- ING GROUP	Final Report Dec. 10, 76 - Apr. 10, 77 AS-TR-77-342
Bernard Harris	N62269-77-M-8337 NULL
9. PERFORMING ORGANIZATION NAME AND ADDRESS Ocean & Atmospheric Science, Inc. 145 Palisade Street, Dobbs Ferry, NY 1052	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK HAIT NUMBERS 2 (1) 3 May 77/
Naval Air Development Center Warminster, Pa 18974	12. REPORT DATE May 3, 1977 13. NUMBER OF PAGES 4
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
Unlimited	PRIRUTION STATEMENT A proved for public release; Distribution Unlimited
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	
18. SUPPLEMENTARY NOTES	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
High density digital recording	
The purpose of this effort was to investigate immediate solutions and address the problems of the real data handling in the ASW community based on utilizing magnetic tape recording/reproducing systems.	

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-014-6601 |

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

405019

1.0 Work Performed

The purpose of this effort was to investigate immediate solutions and address the problems of the real data handling in the ASW community based on utilizing magnetic tape recording/reproducing systems. Two tasks were done under this effort. The results obtained are summarized in Section 2.0.

2.0 Results

2.1 Task I: High Density Digital Recording/Reproducing Standards

Basic limitations of high density digital recording were examined to identify and assist in the search for the best technique. In this regard, an investigation was made on the spectral density of digital magnetic tape codes and reported on in Technical Report, TR 76-324, "Spectral Densities of Digital Magnetic Tape Codes."

The comparison between different codes for magnetic tape recording purposes was made by comparing the spectral densities of the corresponding waveforms which result when a sequence of random binary digits is encoded. Such a comparison is helpful in relating the spectrum of the code to the transfer function and noise floor of the tape recorder to assure that a match is present. While it is a good overall way of examining codes, and much of the literature makes much of this spectral density, it is not a definite measure of effectiveness of the code because there are other factors such as d-c content, noise immunity, and complexity which can be equally important.

Selection of the best high density digital coding scheme for Navy purposes is clearly a multi-faceted task. The development of standards to prevent a myriad of incompatible systems from entering the Navy inventory is a complex but essential task.

2.2 Task II: Degaussing Needs

The need to degauss magnetic tape heads was considered in detail. The details of this examination are reported on in Technical Report TR 76-313, "Magnetic Heads in Tape Recording Systems; Field Strengths and Degaussing Needs." The support material for this examination is reported on in Technical Reports TR 76-314, 315, and 317.

An evaluation was made of the magnetic flux densities in the recording and reproduce headsof low band, intermediate band, and wideband magnetic tape systems. This evaluation was made for the recording process and reproduce process as well as the extent of the residual fields due to accidental magnetization of the heads.

The most critical degaussing need is the residual field of the reproduce head in wideband systems. In this case, lack of degaussing can cause a loss of the higher recorded frequencies. There is a smaller need to degauss the recording head to avoid increases in the system noise level.

3.0 Recommendations

- 1. The need to standardize high density digital recording systems for ASW purposes will be difficult to satisfy. However, it is extremely timely to address the problem now before many incompatible systems enter the Navy inventory.
- 2. Head degaussers are required for wideband magnetic tape systems.